UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/683,570	10/09/2003	Shoji Ogushi	2933SEC-1	7657
22442 SHERIDAN R	7590 01/24/2008 OSS PC		EXAM	INER.
1560 BROAD			BAHTA, KIDEST	
SUITE 1200 DENVER, CO 80202			ART UNIT	PAPER NUMBER
			2125	
			MAIL DATE	DELIVERY MODE
	·		01/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
	10/683,570	OGUSHI ET AL.					
Office Action Summary	Examiner	Art Unit					
·	Kidest Bahta	2125					
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address					
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st. Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	B DATE OF THIS COMMUNI R 1.136(a). In no event, however, may a . riod will apply and will expire SIX (6) MOR atute, cause the application to become Al	CATION. reply be timely filed VTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 3	0 october 2007.						
2a)⊠ This action is FINAL . 2b)□ 1							
3) Since this application is in condition for allo	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice und	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 2-22,24 and 26 is/are pending in t	4) Claim(s) 2-22,24 and 26 is/are pending in the application.						
4a) Of the above claim(s) is/are with	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>2-22,24 and 26</u> is/are rejected.	6)⊠ Claim(s) <u>2-22,24 and 26</u> is/are rejected.						
7) Claim(s) is/are objected to.		•					
8) Claim(s) are subject to restriction an	nd/or election requirement.						
Application Papers		·					
9) The specification is objected to by the Exam	niner.						
10) The drawing(s) filed on is/are: a)							
Applicant may not request that any objection to							
Replacement drawing sheet(s) including the cor							
11)☐ The oath or declaration is objected to by the	e Examiner. Note the attache	d Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for fore	eign priority under 35 U.S.C.	§ 119(a)-(d) or (f).					
a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority docum							
3. Copies of the certified copies of the p		received in this National Stage					
application from the International But		raccived					
* See the attached detailed Office action for a	list of the certified copies flot	received.					
Attachment(s)							
1) Notice of References Cited (PTO-892)	· -	Summary (PTO-413) s)/Mail Date					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 1012/07. 	, —	Informal Patent Application					
· · · · · · · · · · · · · · · · · · ·							

10/683,570 Art Unit: 2125

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2, 4-22, 24 and 25 rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (US 2003/0115088) in view of Squeglia et al. (US 2002/0156692).

Regarding claims 2 and 24, Thompson discloses a computer system including a management server to assist a worker who goes to a work place to perform work, in deciding whether to accept a work item, the method comprising: storing reception information representing a work request received from a client in a memory device of the management server ((Abstract, element 16 and 22); sending work items in the reception information (([0013]-[0014]), which have not been accepted by the worker ([040]), from the management server to a worker terminal used by the worker (Fig. 1); receiving acceptance information ([0040]–[0042]), which corresponds to work items selected by the worker from the unaccepted work items and is sent from the worker terminal, by the management server (Fig. 6, [0035]); storing information about the worker ([0037]) in the memory device based on the acceptance information ([Fig. 2 element 16).

10/683,570

Art Unit: 2125

Thompson fails to disclose sending necessary-part information, discriminated from the reception information includes identifiers for parts necessary for the selected work item and a quantity of the necessary-parts from the management server to the worker terminal and a transport person terminal used by a transport person who transports parts to the work place.

Squeglia sending necessary-part information (Fig. 6, elements 128 and 132), discriminated from the reception information includes identifiers for parts necessary for the selected work item and a quantity of the necessary-parts from the management server to the worker terminal and a transport person terminal ([0044]-[0045]; i.e., Shipped) used by a transport person who transports parts to the work place ([0033]-[004], Fig. 6, Fig. 8, Fig. 10, Abstract, i.e., An interface unit 40 is shown generally for conditioning data transferred between the various information sources of FIG. 2 and the portable unit 14. The interface unit 40 provides data conditioning, modulation or demodulation of a carrier signal to transmit or recover an information signal and signal conditioning for baseband transmission, as dependent on the nature of the communications channel. The interface unit 40 supports both wired and wireless transmissions and their related protocols. Both the portable unit 14 and the MDSC 20 communicate bi-directionally with the various databases and modules of FIG. 2 for the purpose of entering data into or extracting data from the databases and modules).

parts for the service site.

It would have been obvious to a person of ordinary skill in the art at the time of invention was made to modify the teachings of Thompson with the teachings of Squeglia since a device is configured to transmit from the service site to said database a computer-readable order over a communications network, wherein said order allows to identify respective parts and quantity thereof to be made available for said service site. A processor is configured to process the order relative to the data stored in the database to determine availability of the parts identified in the order. An update module is configured to log transactions that occur in connection with the replacement

As claims 4-22 and 26, Squeglia discloses,

- 4. The method according to claim 2, further including discriminating necessary parts and a work method required for a work item based on the reception information, wherein the information on the worker is equivalent to the necessary-part information and the work method (Abstract).
- 5. The method according to claim 2, wherein the reception information includes a progress identifier indicating a work status of the worker and the method further includes: extracting work items including the progress identifier before acceptance from the reception information (Fig. 7, element 184; Fig. 8, element 206); and sending the work items including the progress identifier before acceptance to the worker terminal (Fig. 7, element 140).
- 6. The method according to claim 2, wherein the work items to be sent to the worker terminal includes *at least one* of information on a type of a machine to be a work target, information on a time length expected to be needed for a work item, information on a

10/683,570

Art Unit: 2125

designated worker, information on whether a work item is urgent or not, and information on parts to be transported by a transport person ([0026]-[0028], [0056], [0089]).

- 7. The method according to claim 2, further including sending information capable of specifying a location of a worker and a work place, acquired by a position detecting mechanism, to the worker terminal([0027]-0028]).
- 8. The method according to claim 2, wherein the acceptance information includes a worker identifier, which is an identifier of the worker ([0068])
- 9. The method according to claim 2, further comprising setting a progress identifier for the worker stored in the reception information based on acceptance information as having been received ([0088]).
- 10. The method according to claim 2, further comprising sending received-part information on parts transported by a transport person and received by the worker at the work place, to the computer system from the worker terminal ([0026]).
- 11. The method according to claim 10, further comprising updating carried-part information on parts carried by the worker and transported-part information on parts carried by the transport person with the received-part information ([0025]-[0026]).

10/683,570

Art Unit: 2125

- 12. The method according to claim 10, wherein the received-part information is information corresponding to received parts selected from necessary-part information sent to the terminal used by the worker and is sent from the worker terminal and received by the computer system ([0026]-[0028]).
- 13. The method according to claim 2, further comprising: receiving information on work subject matter and used-part information on parts used in a task, sent from the worker terminal, by the computer system at a time when the work is done ([0030]); and updating the carried-part information, which is information on parts carried by the worker, by the computer system with used-part information (0040]).
- 14. The method according to claim 13, wherein the used-part information is information corresponding to used parts selected from information on necessary parts sent to the terminal used by the worker ([0026]).
- 15. The method according to claim 2, further comprising setting a progress identifier for the worker stored in the work reception information as indicating completion of a task by receiving work-completion information sent from the worker terminal when the work is done ([0038]-[0039]).
- 16. The method according to claim 2, further comprising sending work technique information on a work method to the worker terminal in response to a work technique

10/683,570 Art Unit: 2125

information request sent from the terminal used by the worker([0032]).

17. The method according to claim 2, wherein the reception information is classified into a category to which the worker belongs and stored in the memory device, and work items are extracted from the reception information corresponding to the category to which the worker belongs and is sent to the worker terminal ([0025]).

- 18. The method according to claim 2, wherein ranking of individual work items for displaying the individual work items arranged on the worker terminal is carried out based on priority information corresponding to the reception information. ([0044]).
- 19. The method according to claim 18, wherein the ranked individual work items are arranged based on the ranking and the arranged individual work items are sent to the worker terminal (Fig. 2).
- 20. The method according to claim 2, further comprising sending goods information including an identifier of goods discriminated by the reception information, to at least either the worker terminal or a transport person terminal ([0044]).
- 21. The method according to claim 2, wherein the necessary-part information is output by an output device connected to the terminal used by the transport person (Fig. 10, element 524).

10/683,570

Art Unit: 2125

22. The method according to claim 2, wherein the necessary-part information or information on used parts is output by an output device connected to the worker terminal (Fig. 2).

26. The computer recording medium according to claim 24, wherein the computer program instructions further comprise discriminating necessary parts and a work method required for a work item based on the reception information and storing the necessary-part information and information on the work method in the memory device, at the stage of storing the reception information ([0044]-[0051]).

Response to Amendment/Response to Arguments

2. Applicant's arguments filed November 14, 2007, have been fully considered but they are not persuasive.

Regarding claims 2 and 24, Applicant argues that Squeglia fails to disclose that necessary-part information is sent from a management server to both a worker terminal and a transport person terminal used by a transport person who transports parts to the work place.

Examiner disagrees since Squeglia discloses that necessary-part information is sent from a management server to both a worker terminal and a transport person terminal used by a transport person who transports parts to the work place in [0033]-[0034], [0044]-[0045], i.e., An interface unit 40 is shown generally for conditioning data transferred between the various information sources of FIG. 2 and the portable

10/683,570

Art Unit: 2125

unit 14. The interface unit 40 provides data conditioning, modulation or demodulation of a carrier signal to transmit or recover an information signal and signal conditioning for baseband transmission, as dependent on the nature of the communications channel. The interface unit 40 supports both wired and wireless transmissions and their related protocols. Both the portable unit 14 and the MDSC 20 communicate bi-directionally with the various databases and modules of FIG. 2 for the purpose of entering data into or extracting data from the databases and modules.

The parts-ordering module 58 provides electronic inventory consumption recording so that inventory can be shipped from the supplier to the railroad operator or party responsible for the repair. The parts-ordering module 58 is integrated with the maintenance planning and scheduling database 52 to insure that parts required for scheduled maintenance activities are available in inventory just prior to the scheduled maintenance. This technique improves the forecasting of inventory purchases and assures that the parts inventory is maintained at an optimum level. Information regarding the number of parts in inventory and the location of such parts (for example, in the geographically distributed inventory shops maintained by the railroad or party providing repair services) is also available in the parts-ordering module 58.

Conclusion

3. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed Kidest Bahta whose telephone number is 571-272-3737. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard can be reached on 571-272-3749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application information Retrieval IPAIRI system. Status information for published applications may be obtained from either Private PMR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAG system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-fee).

Kidest Bahta

KIDEST BAHTA
PRIMARY EXAMINER
TECHNOLOGY CENTER 2100